

Package: RcppBessel (via r-universe)

August 28, 2024

Type Package

Title Bessel Functions Rcpp Interface

Version 1.0.0

Maintainer Alexios Galanos <alexios@4dscape.com>

Description Exports an 'Rcpp' interface for the Bessel functions in the 'Bessel' package, which can then be called from the 'C++' code of other packages. For the original 'Fortran' implementation of these functions see Amos (1995) <doi:10.1145/212066.212078>.

License GPL (>= 2)

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

LinkingTo Rcpp

Imports Rcpp (>= 1.0.12), Rdpack

URL <https://github.com/alexiosg/RcppBessel>

RdMacros Rdpack

Suggests knitr, rmarkdown, roxygen2, Bessel, testthat (>= 3.0.0), microbenchmark

VignetteBuilder knitr

Config/testthat/edition 3

Repository <https://alexiosg.r-universe.dev>

RemoteUrl <https://github.com/alexiosg/rcppbessel>

RemoteRef HEAD

RemoteSha e72272aaa16aac098dd105dde4fb17047da02c1d

Contents

| | |
|--------------|----------|
| airy_a | 2 |
| airy_b | 3 |
| bessel_h | 3 |
| bessel_i | 4 |
| bessel_j | 5 |
| bessel_k | 6 |
| bessel_y | 6 |
| Index | 8 |

| | |
|--------|---------------------------|
| airy_a | <i>The AiryA Function</i> |
|--------|---------------------------|

Description

Computes the Airy function A_i for real or complex inputs.

Usage

```
airy_a(z, deriv = 0, expon_scaled = FALSE, verbose = 0)
```

Arguments

| | |
|---------------------------|--|
| <code>z</code> | A numeric or complex vector representing the input values at which to evaluate the Airy function. |
| <code>deriv</code> | An integer indicating whether to compute the function (0 for the function itself) or its first derivative (1 for the first derivative). Defaults to 0. |
| <code>expon_scaled</code> | A logical value indicating whether to use the exponentially scaled form of the Airy function. Defaults to FALSE. |
| <code>verbose</code> | An integer specifying the verbosity level for error messages. Defaults to 0. |

Value

A numeric or complex vector (depending on the input) containing the values of the `airy_a` function evaluated at the points in `z`.

References

Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.

Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

`airy_b`*The AiryB Function*

Description

Computes the Airy function B_i for real or complex inputs.

Usage

```
airy_b(z, deriv = 0, expon_scaled = FALSE, verbose = 0)
```

Arguments

| | |
|---------------------------|--|
| <code>z</code> | A numeric or complex vector representing the input values at which to evaluate the Airy function. |
| <code>deriv</code> | An integer indicating whether to compute the function (0 for the function itself) or its first derivative (1 for the first derivative). Defaults to 0. |
| <code>expon_scaled</code> | A logical value indicating whether to use the exponentially scaled form of the Airy function. Defaults to FALSE. |
| <code>verbose</code> | An integer specifying the verbosity level for error messages. Defaults to 0. |

Value

A numeric or complex vector (depending on the input) containing the values of the `airy_b` function evaluated at the points in `z`.

References

Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.

Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

`bessel_h`*The BesselH Function*

Description

Computes the Hankel function (Bessel function of the third kind) for real or complex inputs.

Usage

```
bessel_h(m, z, nu, expon_scaled = FALSE, verbose = 0)
```

Arguments

| | |
|--------------|---|
| m | An integer representing the type of Hankel function. It must be either 1 (for the first kind) or 2 (for the second kind). |
| z | A numeric or complex vector representing the input values at which to evaluate the Hankel function. |
| nu | A double representing the order of the Hankel function. |
| expon_scaled | A logical value indicating whether to use the exponentially scaled form of the Hankel function. Defaults to FALSE. |
| verbose | An integer specifying the verbosity level for error messages. Defaults to 0. |

Value

A complex vector containing the values of the `bessel_h` function evaluated at the points in `z`.

References

- Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.
- Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

bessel_i

The Bessell Function

Description

Computes the modified Bessel function of the first kind for real or complex inputs.

Usage

```
bessel_i(z, nu, expon_scaled = FALSE, verbose = 0)
```

Arguments

| | |
|--------------|--|
| z | A numeric or complex vector representing the input values at which to evaluate the Bessel function. |
| nu | A double representing the order of the Bessel function. |
| expon_scaled | A logical value indicating whether to use the exponentially scaled form of the Bessel function. Defaults to FALSE. |
| verbose | An integer specifying the verbosity level for error messages. Defaults to 0. |

Value

A numeric or complex vector (depending on the input) containing the values of the `bessel_i` function evaluated at the points in `z`.

References

- Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.
- Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

bessel_j

The BesselJ Function

Description

Computes the Bessel function of the first kind for real or complex inputs.

Usage

```
bessel_j(z, nu, expon_scaled = FALSE, verbose = 0)
```

Arguments

- | | |
|--------------|--|
| z | A numeric or complex vector representing the input values at which to evaluate the Bessel function. |
| nu | A double representing the order of the Bessel function. |
| expon_scaled | A logical value indicating whether to use the exponentially scaled form of the Bessel function. Defaults to FALSE. |
| verbose | An integer specifying the verbosity level for error messages. Defaults to 0. |

Value

A numeric or complex vector (depending on the input) containing the values of the `bessel_j` function evaluated at the points in `z`.

References

- Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.
- Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

bessel_k

The BesselK Function

Description

Computes the modified Bessel function of the second kind for real or complex inputs.

Usage

```
bessel_k(z, nu, expon_scaled = FALSE, verbose = 0)
```

Arguments

| | |
|--------------|--|
| z | A numeric or complex vector representing the input values at which to evaluate the Bessel function. |
| nu | A double representing the order of the Bessel function. |
| expon_scaled | A logical value indicating whether to use the exponentially scaled form of the Bessel function. Defaults to FALSE. |
| verbose | An integer specifying the verbosity level for error messages. Defaults to 0. |

Value

A numeric or complex vector (depending on the input) containing the values of the `bessel_k` function evaluated at the points in `z`.

References

Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.

Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

bessel_y

The BesselY Function

Description

Computes the Bessel function of the second kind (Neumann function) for real or complex inputs.

Usage

```
bessel_y(z, nu, expon_scaled = FALSE, verbose = 0)
```

Arguments

| | |
|--------------|--|
| z | A numeric or complex vector representing the input values at which to evaluate the Bessel function. |
| nu | A double representing the order of the Bessel function. |
| expon_scaled | A logical value indicating whether to use the exponentially scaled form of the Bessel function. Defaults to FALSE. |
| verbose | An integer specifying the verbosity level for error messages. Defaults to 0. |

Value

A numeric or complex vector (depending on the input) containing the values of the `bessel_y` function evaluated at the points in `z`.

References

- Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.
- Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

Index

[airy_a](#), [2](#)
[airy_b](#), [3](#)

[bessel_h](#), [3](#)
[bessel_i](#), [4](#)
[bessel_j](#), [5](#)
[bessel_k](#), [6](#)
[bessel_y](#), [6](#)